SAKA

SAKA TRADING - SAL
YOUR RESOURCEFUL PARTNER

SECTOR 32 - STREET 49,
CHOUEIFAT - LEBANON

T : 05 400 008
M: 03 752 445 I 81 81 81 11

INFO@SAKA.COM.LB
WWW.SAKA.COM.LB

KUSTONE

PASSENGER CAR TIRE MANUAL

SAKA

KUSTONE

CONTENTS

KUSTONE

Passion P9s

UHP RUNFLAT TIRE



Tread groove with transverse hole design,improve the smoothness and appearance,make the tire appearance satisfy user.

Unique left and right asymmetric pattern, achieve high-speed stable control performance,improve water drift resistance, low noise, wear resistance.



Four main grooves improve the drainage and grip of wet slippery roads, excellent control performance and low noise.

Unsymmetrical closed shoulder design, providing excellent traction, braking force, providing drivers with comfortable driving enjoyment.

KUSTONE

RUNFLAT TIRE

When tire out of pressure, the reinforced side wall of tire can withstand the weight of vehicle to maintain the stable driving of the vehicle, avoiding the traffic accident caused by tire losing pressure.



COMMON TIRE

Common tire sidewall is fragile, resulting in sidewall can not bear the car weight . When the tire loses pressure, the vehicle will lose control and easily cause traffic accidents.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	MAX PRESSURE (KPa)
1	255/55ZR18	105W	8J	925	250
2	275/35ZR18	99W	9½J	775	340
3	255/50ZR19	103W	8J	875	300
4	255/55ZR19	107W	8J	975	300
5	265/50ZR19	106W	8½J	1060	340
6	285/45ZR19	111W	9½J	1090	300
7	245/30ZR20	90W	8½J	600	340
8	245/35ZR20	91W	8½J	690	340
9	245/40ZR20	99W	8½J	775	340
10	245/45ZR20	99W	8J	775	300
11	255/40ZR20	101W	9J	825	340
12	255/45ZR20	101W	8½J	825	300
13	275/30ZR20	97W	9½J	730	340
14	275/35ZR20	102W	9½J	850	340
15	275/40ZR20	102W	9½J	850	300
16	275/45ZR20	106W	9J	950	300
17	285/35ZR20	104W	10J	900	340
18	285/45ZR20	112W	9½J	1120	340
19	305/40ZR20	112W	11J	1120	340
20	315/35ZR20	110W	11J	1060	340
21	245/35ZR21	96W	8½J	710	340
22	275/30ZR21	98W	9½J	750	340
23	275/35ZR21	99W	9½J	875	340
24	275/40ZR21	107W	9½J	975	340
25	275/45ZR21	110W	9J	1060	340
26	285/35ZR21	101W	10J	925	340
27	285/45ZR21	113W	9½J	1150	340
28	315/35ZR21	111W	11J	1090	340
29	325/30ZR21	104W	11½J	1000	340
30	275/40R22	107V	9½J	975	340
31	315/35ZR22	111W	11J	1090	340

Passion P9

UHP RUNFLAT TIRE



Tread groove with transverse hole design , improve the smoothness and appearance ,make the tire appearance satisfy user.



Sawtooth design of main groove increases the discharge of stone, inhibits the noise resonance in driving, improves the mute comfort of the vehicle.



Tread four main drains design ,effectively restrain the phenomenon of water surface drift ,ensure the safety of wetland driving.

Excellent traction and braking force, mute pattern layout design, provide comfortable driving experience.

KUSTONE

RUNFLAT TIRE

When tire out of pressure, the reinforced side wall of tire can withstand the weight of vehicle to maintain the stable driving of the vehicle, avoiding the traffic accident caused by tire losing pressure.



COMMON TIRE

Common tire sidewall is fragile, resulting in sidewall can not bear the car weight . When the tire loses pressure, the vehicle will lose control and easily cause traffic accidents.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	P
1	225/45ZR17	91W	7½J	615	300
2	225/50ZR17	94W	7J	670	300
3	225/55ZR17	97W	7J	730	300
4	225/60R17	99V	6½J	775	250
5	225/40ZR18	88W	8J	560	300
6	225/45ZR18	91W	7½J	615	300
7	225/50ZR18	99W	7J	775	290
8	235/50ZR18	101W	7½J	825	340
9	235/55ZR18	100W	7½J	800	300
10	235/60R18	103V	7J	975	340
11	245/40ZR18	93W	8½J	650	300
12	245/45ZR18	96W	8J	710	300
13	245/50ZR18	104W	7½J	900	340
14	255/40ZR18	95W	9J	690	300
15	255/45ZR18	103W	8½J	875	340
16	275/40ZR18	103W	9½J	875	340
17	225/45ZR19	92W	7½J	630	300
18	235/55ZR19	101W	7½J	825	300
19	245/40ZR19	98W	8½J	750	340
20	245/45ZR19	98W	8J	750	300
21	245/50ZR19	101W	7½J	825	300
22	255/35ZR19	96W	9J	710	340
23	255/40ZR19	100W	9J	800	340
24	275/35ZR19	96W	9½J	710	300
25	275/40ZR19	101W	9½J	925	300
26	255/35ZR20	97W	9J	730	340

KUSTONE

UHP RUNFLAT TIRE

Under 0 KPA, Running 80 KM at 80 km/h

Quiet Q7

UHP RUNFLAT TIRE

- **Transverse exhaust hole design**
  Improve the tread smoothness and the good appearance
- **Four main grooves**
  Improve drainage and control
- **Noise reduction pattern design**
  Weaken and absorb contour noise and improves control performance

KUSTONE

Tread groove with transverse hole design , improve the smoothness and appearance ,make the tire appearance satisfy user.

Two Tread unique pattern strip, enhance braking time and ground, unique reverse small arc pattern groove design,effectively inhibit wet road slip.

Noise reduction pattern design, reduce and absorb contour noise, increase the rigidity of tire outer pattern, improve the operation performance of dry and wet road.

Optimize four main grooves, greatly improve energy saving and excellent wetland drainage, synchronism, improve steering reaction speed and maneuverability.

RUNFLAT TIRE

When tire out of pressure, the reinforced side wall of tire can withstand the weight of vehicle to maintain the stable driving of the vehicle, avoiding the traffic accident caused by tire losing pressure.



COMMON TIRE

Common tire sidewall is fragile, resulting in sidewall can not bear the car weight . When the tire loses pressure, the vehicle will lose control and easily cause traffic accidents.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	MAX PRESSURE (KPa)
1	205/55R16	91V	6½J	615	300
2	205/60R16	92H	6J	630	300

KUSTONE

Safy M06

UHP RUNFLAT TIRE

- **Four main ditches design**
  Four longitudinal ditches to enhance drainage
- **Asymmetric pattern design**
  Provide comfort, assume control stability
- **Unequal pitch arrangement**
  Effectively reduce noise and early damage

KUSTONE

FOUR MAIN GROOVES DESIGN: Four Longitudinal grooves as the mainstream design of UHP tire.totally improve tire ra-pid drainage performance.

ASYMMETRIC PATTERN DESIGN: Inside pattern with fine and smooth features, provide comfort and low noice perform-ance. Outside pattem with rough features, bear the handling stability and rigid.

UNEQUAL INTERCEPT DESIGN: Five un-equal intercept with the biggest differnce array, meanwhile with different width , greatly decrease rolling resonance , noise and early damage.

FULL STRAIGHT LINE GROOVES DESIGN: Vertical Renoir design with solid sence.

FINE LINES DESIGN ON SHOULDERS: Increase aesthetic feeling.improve reco-gnition.

SPECIAL COMPOUND FOR UHPTIRES UHP: Add white black carbon in tires , increase the handling performance, reduce rolling resistance. UHP.

RUNFLAT TIRE

When tire out of pressure, the reinforced side wall of tire can withstand the weight of vehicle to maintain the stable driving of the vehicle, avoiding the traffic accident caused by tire losing pressure.



COMMON TIRE

Common tire sidewall is fragile, resulting in sidewall can not bear the car weight . When the tire loses pressure, the vehicle will lose control and easily cause traffic accidents.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX /SPEED SYMBOL
1	225/55R16	16	95V
2	205/55ZR17	17	91W
3	205/45ZR17	17	84W
4	245/45ZR17	17	99W XL
5	225/50ZR18	18	99W
6	235/45ZR19	19	99W
7	255/55R18	18	105V
8	225/60R17	17	99V
9	255/55ZR18	18	105W

KUSTONE

Passion P9s



Tread groove with transverse hole design , improve the smoothness and appearance ,make the tire appearance satisfy user.

Unique left and right asymmetric pattern, achieve high-speed stable control performance, improve water drift resistance, low noise, wear resistance.



Four main grooves improve the drainage and grip of wet slippery roads, excellent control performance and low noise.

Unsymmetrical closed shoulder design, providing excellent traction, braking force, providing drivers with comfortable driving enjoyment.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	MAX PRESSURE (KPa)
1	255/55R18	109W	8J	1030	290
2	275/35ZR18	95W	9½J	690	300
3	255/50ZR19	103W	8J	875	300
4	255/55ZR19	111W	8J	975	300
5	265/50ZR19	110W	8½J	950	300
6	285/45ZR19	107W	9½J	975	300
7	245/30ZR20	86W	8½J	530	300
8	245/35ZR20	95W	8½J	615	300
9	245/40ZR20	95W	8½J	690	300
10	245/45ZR20	103W	8J	775	300
11	255/40ZR20	97W	9J	730	300
12	255/45ZR20	105W	8½J	825	300
13	275/30ZR20	97W	9½J	650	300
14	275/35ZR20	98W	9½J	750	300
15	275/40ZR20	102W	9½J	850	300
16	275/45ZR20	110W	9J	950	300
17	285/35ZR20	100W	10J	800	300
18	285/45ZR20	108W	9½J	1000	300
19	305/40ZR20	112W	11J	1120	340
20	315/35ZR20	106W	11J	950	300
21	245/35ZR21	96W	8½J	710	340
22	265/45ZR21	108W	9J	900	250
23	275/30ZR21	98W	9½J	750	340
24	275/35ZR21	103W	9½J	775	300
25	275/40ZR21	107W	9½J	975	340
26	275/45ZR21	110W	9J	975	300
27	285/35ZR21	101W	10J	825	300
28	285/45ZR21	109W	9½J	1030	300
29	315/35ZR21	111W	11J	1090	340
30	325/30ZR21	104W	11½J	900	300
31	275/40R22	107V	9½J	975	340
32	265/40R22	106W	9½J	950	290
33	315/35ZR22	107Y	11J	975	300

KUSTONE

Passion P9



Tread groove with transverse hole design , improve the smoothness and appearance ,make the tire appearance satisfy user.



Sawtooth design of main groove increases the discharge of stone, inhibits the noise resonance in driving, improves the mute comfort of the vehicle.



Tread four main drains design ,effectively restrain the phenomenon of water surface drift , ensure the safety of wetland driving.



Excellent traction and braking force, mute pattern layout design, provide comfortable driving experience.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	MAX PRESSURE (KPa)
1	215/55ZR17	94W	7J	670	300
2	225/45ZR17	94W	7½J	670	340
3	225/50ZR17	98W	7J	750	340
4	225/55ZR17	101W	7J	825	340
5	225/60R17	99V	6½J	775	250
6	235/55ZR17	103W	7½J	875	340
7	215/55ZR18	99W	7J	775	340
8	225/40ZR18	92W	8J	630	340
9	225/45ZR18	95W	7½J	650	340
10	235/50ZR18	101W	7½J	825	340
11	235/55ZR18	104W	7½J	900	340
12	235/60R18	107V	7J	975	340
13	245/40ZR18	97W	8½J	730	340
14	245/45ZR18	100W	8J	800	340
15	245/50ZR18	100W	7½J	800	300
16	255/40ZR18	99W	9J	775	340
17	255/45ZR18	103W	8½J	875	340
18	275/40ZR18	103W	9½J	875	340
19	225/45ZR19	96W	7½J	710	340
20	235/40ZR19	96W	7½J	630	250
21	235/55ZR19	105W	7½J	925	340
22	235/65ZR19	109V	7J	1030	290
23	245/40ZR19	98W	8½J	750	340
24	245/45ZR19	102W	8J	850	340
25	245/50ZR19	101W	7½J	825	300
26	245/55ZR19	107W	7½J	875	250
27	255/35ZR19	92W	9J	630	300
28	255/40ZR19	100W	9J	800	340
29	275/35ZR19	100W	9½J	800	340
30	275/40ZR19	105W	9½J	925	340
31	235/50ZR20	104W	7½J	800	250
32	255/35ZR20	97W	9J	730	340
33	215/50R17	95W	7J	615	250
34	215/60R17	96H	6½J	710	250
35	215/50R18	92W	7J	630	250
36	225/50ZR18	99W	7J	690	250
37	235/45ZR18	94W	8J	670	250

Quiet Q7

- **Transverse exhaust hole design**
  Improve the tread smoothness and the good appearance
- **Four main grooves**
  Improve drainage and control
- **Noise reduction pattern design**
  Weaken and absorb contour noise and improves control performance

KUSTONE



Tread groove with transverse hole design , improve the smoothness and appearance ,make the tire appearance satisfy user.

Two Tread unique pattern strip, enhance braking time and ground,unique reverse small arc pattern groove design, effectively inhibit wet road slip.

Noise reduction pattern design, reduce and absorb contour noise, increase the rigidity of tire outer pattern, improve the operation performance of dry and wet road.



Optimize four main grooves, greatly improve energy saving and excellent wetland drainage, synchronism, improve steering reaction speed and maneuverability.

Product Specification

NO	SIZE	LOAD INDEX/ SPEED SYMBOL	STD RIM	STD LOAD (Kp)	MAX PRESSURE (KPa)
1	175/65R14	82T	5J	475	300
2	185/60R15	84H	5½J	500	300
3	185/65R14	86H	5½J	530	300
4	185/65R15	88T	5½J	560	300
5	195/55R15	85V	6J	515	300
6	195/60R15	88H	6J	560	300
7	195/65R15	91V	6J	615	300
8	205/55R16	91V	6½J	615	300
9	205/60R16	92H	6J	630	300
10	175/70R14	84H	5J	500	250
11	195/60R16	88H	6J	580	250
12	205/65R16	95H	6J	690	250
13	215/55R16	97W	7J	650	250
14	215/60R16	95H	6½J	690	250
15	215/65R16	98H	6½J	750	250

KUSTONE

Sport M01

- **Wide longitudinal grooves**
  Improve the Tire safety, drainage and moisture resistance of moisture resistance
- **The "knife-cut" grooves**
  Improve tire stability and comfort
- **Unequal pitch arrangement**
  Effectively reduce noise and improve tire comfort

Unequal Pitch Order: Greatly reducing resonance coefficient and effectively lowering noise,as well as contributing to enhancing tire comfort.

Wide Longitudinal Grooves: Effectively increasing tire safety,ensuring high-speed driving,and enhancing tire drainage and wet traction.

Multiple Compound Tread: Enhancing comfort,also increasing fuel utilization,reaching energy saving and environmental friendliness.

Asymmetrical Design: Clealy differentiating functions of inner and outer sides, and greatly enhancing driving stability at high speed.

Diversified sipes and “Sliced ” Grooves: Greatly improving tire stability and comfort inhigh-speed driving.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	195/55R16	16	91V
2	205/45R16	16	87W XL
3	215/55R16	16	97W
4	215/50R17	17	95W XL
5	235/45R17	17	97W
6	235/40R18	18	95W XL

KUSTONE

Safy M06



- **Four main ditches design**
  Four longitudinal ditches to enhance drainage
- **Asymmetric pattern design**
  Provide comfort, assume control stability
- **Unequal pitch arrangement**
  Effectively reduce noise and early damage

KUSTONE

FOUR MAIN GROOVES DESIGN: Four Longitudinal grooves as the mainstream design of UHP tire. totally improve tire rapid drainage performance.

ASYMMETRIC PATTERN DESIGN: Inside pattern with fine and smooth features, provide comfort and low noice performance. Outside pattem with rough features, bear the handling stability and rigid.

UNEQUAL INTERCEPT DESIGN: Five unequal intercept with the biggest differnce array, meanw-hile with different width ,greatly decrease rolling resonance , noise and early damage.

FULL STRAIGHT LINE GROOVES DESIGN: Vertical Renoir design with solid sence.

FINE LINES DESIGN ON SHOULDERS: Increase aesthetic feeling.improve recognition.

SPECIAL COMPOUND FOR UHPTIRES UHP: Add white black carbon in tires , increase the handling performance, reduce rolling resistance. UHP.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	215/55ZR16	16	97W
2	225/55ZR16	16	99W
3	205/45ZR17	17	88W
4	205/50ZR17	17	93W
5	205/55ZR17	17	91W
6	215/45ZR17	17	91W
7	235/45R17	17	97W
8	245/45ZR17	17	99W XL
9	215/50R18	18	92V
10	225/50ZR18	18	99W
11	225/55ZR18	18	102W
12	225/60R18	18	104V
13	235/45ZR18	18	98W XL
14	275/45ZR18	18	107W
15	225/55ZR19	19	103W
16	235/45ZR19	19	99W
17	235/50ZR19	19	103W

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
18	255/45ZR19	19	104W
19	235/45ZR20	20	100W
20	235/55ZR20	20	105W
21	245/50ZR20	20	102W
22	255/50ZR20	20	109W
23	255/55ZR20	20	110W
24	265/40ZR20	20	104W
25	265/45ZR20	20	108W
26	265/50R20	20	107V
27	275/50ZR20	20	113W
28	285/50R20	20	116V
29	295/35ZR20	20	105W
30	295/40ZR20	20	110W
31	255/45ZR21	21	105W
32	265/40ZR21	21	105W
33	245/60R18	18	105V
34	245/55ZR19	19	103W

Freely F11

- **Four main ditches design**
  Four longitudinal ditches to enhance drainage
- **Asymmetric pattern design**
  Provide comfort, assume control stability
- **Unequal pitch arrangement**
  Effectively reduce noise and early damage

KUSTONE

FOUR MAIN GROOVES DESIGN: Four Longitudinal grooves as the mainstream design of UHP tire. totally improve tire rapid drainage performance.

ASYMMETRIC PATTERN DESIGN: Inside pattern with fine and smooth features, provide comfort and low noice performance. Outside pattem with rough features, bear the handling stability and rigid.

UNEQUAL INTERCEPT DESIGN: Five unequal intercept with the biggest differnce array, meanwhile with different width ,greatly decrease rolling resonance , noise and early damage.

FULL STRAIGHT LINE GROOVES DESIGN: Vertical Renoir design with solid sence.

FINE LINES DESIGN ON SHOULDERS: Increase aesthetic feeling.improve recognition.

SPECIAL COMPOUND FOR UHPTIRES UHP: Add white black carbon in tires , increase the handling performance, reduce rolling resistance. UHP.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	215/70R16	16	100H
2	225/70R16	16	103H
3	235/70R16	16	106H
4	245/70R16	16	107H
5	215/60R17	17	96H
6	225/60R17	17	99H
7	225/65R17	17	102H
8	235/65R17	17	104H
9	265/65R17	17	112H
10	235/65R18	18	110H
11	265/60R18	18	110H

P07

P07-N

Enhanced

- **Unequal pitch arrangement**
  Effectively reduce noise, improve tire comfort
- **Diversity, fine grain steel sheet, transverse grooves**
  Improve tire drainage and grip
- **Four longitudinal grooves**
  Improve tire safety, drainage and moisture resistance

KUSTONE

Different pitch arrangement of the pattem: Greatly reducing resonance coefficient and effectively lowering noise, as well as contributing to enhancing tire comfort.

Diversified Fine-grained Sipes and Transverse Grooves: In favor of improving tire drainage， maintaining betterground-holding force and inCreasing braking safety.

Four Longitudinal Grooves: Effectively improving tire safety, ensuring high-speed driving,increasing tire drainage and wet traction.

Compound Tread Formulas: In favor of reducing tire roiling resistance,enhancing fuel utilization and achieving energy saving & environmental friendliness.

Product Specification

NO	SIZE	Model	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	165/60R14	P07	14	75H
2	165/65R14	P07	14	79H
3	185/70R14	P07	14	88H
4	175/65R15	P07	15	84H
5	185/55R15	P07	15	82V
6	195/50R15	P07	15	82H
7	205/60R15	P07	15	91V
8	205/70R15	P07	15	96H
9	205/50R16	P07	16	87V
10	205/65R16	P07	16	95H
11	215/60R16	P07	16	95H
12	215/65R16	P07	16	98H
13	225/60R16	P07	16	98H
1	185/60R14	P07-N	14	82H
3	205/65R15	P07-N	15	94H
2	195/60R16	P07-N	16	89H

Tugh A99

- **Four main grooves and rigid corrugated grooves design**
  Give full play to the efficient driving force
- **Excellent ladder pattern angle design**
  Greatly enhances the grip
- **Unique 3 D pattern design**
  Effectively reduces the noise

KUSTONE

Four main grooves and rigid corrugated grooves are designed to play an efficient driving force under any road condition.

The excellent ladder pattern angle design of the central reinforcement is helpful to break the pavement water film and increase the grounding area of the tread and greatly enhance the grip.

3D pattern to avoid direct contact with the edge of the pattern block, effectively block the noise in the pattern ditch resonance, thus effectively reduce the noise.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	215/75R15	15	100T

Come L09

- **Stire tread**
  Improve maneuverability and braking
- **Oblique shoulder groove**
  Makes tire grip and drainage excellent
- **Unique shoulder design**
  Provide excellent straight line driving and acceleration performance

KUSTONE

Stire tread enhances tire adhesion to the ground, shortens braking distance, improves maneuverability and braking, and makes driving more comfortable and safe.

Three straight grooves and broad conical auxiliary grooves ensure the superiority of drainage performance .9.2 mm depth grooves prolong tire service life and service comfort.

Smooth oblique shoulder groove ensures the excellent grip and drainage of the tire, reduces driving resonance and makes driving smooth and quiet.

Symmetrical pattern design, flexible and practical, efficient and stable, tread pattern knife groove design can reduce the impact of road and tire and friction noise to the minimum.

Unique shoulder design, smaller surface rate, provide excellent straight line driving and acceleration performance while saving fuel, economic and environmental protection.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	155R13C	13	90/88N
2	165R13C	13	91/89N
3	165R14C	14	97/95Q
4	185R14LT	14	102/100R
5	195/70R15C	15	104/102R
6	215/70R15C	15	109/107R
7	215/75R16C	16	113/111R

Giantire AT86

- **Design of two continuous corrugated grooves on tread**
  Provide excellent drainage performance and strong traction
- **Design of Interlace Groove between Tires**
  Provide grip and wear resistance of tires on cross-country
- **Tread with the blade pattern**
  Improve maneuverability and grip effect on cross-country

KUSTONE

Two continuous corrugated grooves are designed to provide excellent drainage performance and strong traction on non-paved roads.

The design of interlaced grooves can provide drainage and ground grabbing and wear resistance of tires in complex road conditions.

The blade pattern on the tread can improve the driving maneuverability in the high speed driving of the pavement road, and provide extra ground grabbing effect when cross-country, so that the driver can enjoy the driving fun of all kinds of road conditions better.

The unique self-cleaning design in the main groove can effectively prevent the foreign body such as pebbles from sticking into the tire groove, thus improving the safety of tire use.

Product Specification

NO	SIZE	STD RIM	LOAD INDEX/ SPEED SYMBOL
1	245/75R16	16	111T
2	225/65R17	17	102T
3	215/75R15	15	110T
4	235/75R15	15	105T
5	235/70R16	16	106H
6	245/70R16	16	107H
7	245/75R16	16	111T
8	265/65R17	17	112H
9	265/60R18	18	100H

UHP RUNFLAT TIRE
Passion P9s

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	18	255/55ZR18	Passion P9s	105	W
2		275/35ZR18	Passion P9s	99	W
3	19	255/50ZR19	Passion P9s	103	W
4		255/55ZR19	Passion P9s	107	W
5		265/50ZR19	Passion P9s	106	W
6		285/45ZR19	Passion P9s	111	W
7	20	245/30ZR20	Passion P9s	90	W
8		245/35ZR20	Passion P9s	91	W
9		245/40ZR20	Passion P9s	99	W
10		245/45ZR20	Passion P9s	99	W
11		255/40ZR20	Passion P9s	101	W
12		255/45ZR20	Passion P9s	101	W
13		275/30ZR20	Passion P9s	97	W
14		275/35ZR20	Passion P9s	102	W
15		275/40ZR20	Passion P9s	102	W
16		275/45ZR20	Passion P9s	106	W
17		285/35ZR20	Passion P9s	104	W
18		285/45ZR20	Passion P9s	112	W
19		305/40ZR20	Passion P9s	112	W
20	21	315/35ZR20	Passion P9s	110	W
21		245/35ZR21	Passion P9s	96	W
22		275/30ZR21	Passion P9s	98	W
23		275/35ZR21	Passion P9s	99	W
24		275/40ZR21	Passion P9s	107	W
25		275/45ZR21	Passion P9s	110	W
26		285/35ZR21	Passion P9s	101	W
27		285/45ZR21	Passion P9s	113	W
28		315/35ZR21	Passion P9s	111	W
29		325/30ZR21	Passion P9s	104	W
30	22	275/40R22	Passion P9s	107	V
31		315/35ZR22	Passion P9s	111	W

KUSTONE

UHP RUNFLAT TIRE
Passion P9

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	17	225/45ZR17	Passion P9	91	W
2		225/50ZR17	Passion P9	94	W
3		225/55ZR17	Passion P9	97	W
4		225/60R17	Passion P9	99	V
5	18	225/40ZR18	Passion P9	88	W
6		225/45ZR18	Passion P9	91	W
7		225/50ZR18	Passion P9	99	W
8		235/50ZR18	Passion P9	101	W
9		235/55ZR18	Passion P9	100	W
10		235/60R18	Passion P9	103	V
11		245/40ZR18	Passion P9	93	W
12		245/45ZR18	Passion P9	96	W
13		245/50ZR18	Passion P9	104	W
14		255/40ZR18	Passion P9	95	W
15		255/45ZR18	Passion P9	103	W
16		275/40ZR18	Passion P9	103	W
17	19	225/45ZR19	Passion P9	92	W
18		235/55ZR19	Passion P9	101	W
19		245/40ZR19	Passion P9	98	W
20		245/45ZR19	Passion P9	98	W
21		245/50ZR19	Passion P9	101	W
22		255/35ZR19	Passion P9	96	W
23		255/40ZR19	Passion P9	100	W
24		275/35ZR19	Passion P9	96	W
25		275/40ZR19	Passion P9	101	W
26	20	255/35ZR20	Passion P9	97	W

UHP RUNFLAT TIRE
Quiet Q7

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	16	205/55R16	Quiet Q7	91	V
2		205/60R16	Quiet Q7	92	H

UHP RUNFLAT TIRE
Safy M06

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	16	225/55R16	M06	95	V
2	17	205/55ZR17	M06	91	W
3		205/45ZR17	M06	84	W
4		245/45ZR17	M06	99	W/XL
5	18	225/50ZR18	M06	99	W
6		255/55R18	M06	105	V
7	19	235/45ZR19	M06	99	W
8	17	225/60R17	M06	99	V
9	18	255/55ZR18	M06	105	W

KUSTONE

Passion P9s

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	18	255/55R18	Passion P9s	109	W
2		275/35ZR18	Passion P9s	95	W
3	19	255/50ZR19	Passion P9s	103	W
4		255/55ZR19	Passion P9s	111	W
5		265/50ZR19	Passion P9s	110	W
6		285/45ZR19	Passion P9s	107	W
7	20	245/30ZR20	Passion P9s	86	W
8		245/35ZR20	Passion P9s	95	W
9		245/40ZR20	Passion P9s	95	W
10		245/45ZR20	Passion P9s	103	W
11		255/40ZR20	Passion P9s	97	W
12		255/45ZR20	Passion P9s	105	W
13		275/30ZR20	Passion P9s	97	W
14		275/35ZR20	Passion P9s	98	W
15		275/40ZR20	Passion P9s	102	W
16		275/45ZR20	Passion P9s	110	W
17		285/35ZR20	Passion P9s	100	W
18		285/45ZR20	Passion P9s	108	W
19		305/40ZR20	Passion P9s	112	W
20		315/35ZR20	Passion P9s	106	W
21	21	245/35ZR21	Passion P9s	96	W
22		265/45ZR21	Passion P9s	108	W
23		275/30ZR21	Passion P9s	98	W
24		275/35ZR21	Passion P9s	103	W
25		275/40ZR21	Passion P9s	107	W
26		275/45ZR21	Passion P9s	110	W
27		285/35ZR21	Passion P9s	101	W
28		285/45ZR21	Passion P9s	109	W
29		315/35ZR21	Passion P9s	111	W
30		325/30ZR21	Passion P9s	104	W
31	22	275/40R22	Passion P9s	107	V
32		265/40R22	Passion P9s	106	W
33		315/35ZR22	Passion P9s	107	Y

Passion P9

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	17	215/55ZR17	Passion P9	94	W
2		225/45ZR17	Passion P9	94	W
3		225/50ZR17	Passion P9	98	W
4		225/55ZR17	Passion P9	101	W
5		225/60R17	Passion P9	99	V
6		235/55ZR17	Passion P9	103	W
7	18	215/55ZR18	Passion P9	99	W
8		225/40ZR18	Passion P9	92	W
9		225/45ZR18	Passion P9	95	W
10		235/50ZR18	Passion P9	101	W
11		235/55ZR18	Passion P9	104	W
12		235/60R18	Passion P9	107	V
13		245/40ZR18	Passion P9	97	W
14		245/45ZR18	Passion P9	100	W
15		245/50ZR18	Passion P9	100	W
16		255/40ZR18	Passion P9	99	W
17		255/45ZR18	Passion P9	103	W
18		275/40ZR18	Passion P9	103	W
19	19	225/45ZR19	Passion P9	96	W
20		235/40ZR19	Passion P9	96	W
21		235/55ZR19	Passion P9	105	W
22		235/65ZR19	Passion P9	109	V
23		245/40ZR19	Passion P9	98	W
24		245/45ZR19	Passion P9	102	W
25		245/50ZR19	Passion P9	101	W
26		245/55ZR19	Passion P9	107	W
27		255/35ZR19	Passion P9	92	W
28		255/40ZR19	Passion P9	100	W
29		275/35ZR19	Passion P9	100	W
30		275/40ZR19	Passion P9	105	W
31	20	235/50ZR20	Passion P9	104	W
32		255/35ZR20	Passion P9	97	W
33	17	215/50R17	Passion P9	95	W
34		215/60R17	Passion P9	96	H
35	18	215/50R18	Passion P9	92	W
36		225/50ZR18	Passion P9	99	W
37		235/45ZR18	Passion P9	94	W

KUSTONE

Quiet Q7

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	14	175/65R14	Quiet Q7	82	T
2		185/65R14	Quiet Q7	86	H
3	15	185/60R15	Quiet Q7	84	H
4		185/65R15	Quiet Q7	88	T
5		195/55R15	Quiet Q7	85	V
6		195/60R15	Quiet Q7	88	H
7		195/65R15	Quiet Q7	91	V
8	16	205/55R16	Quiet Q7	91	V
9		205/60R16	Quiet Q7	92	H
10	14	175/70R14	Quiet Q7	84	H
11	16	195/60R16	Quiet Q7	88	H
12		205/65R16	Quiet Q7	95	H
13		215/55R16	Quiet Q7	97	W
14		215/60R16	Quiet Q7	95	H
15		215/65R16	Quiet Q7	98	H

Sport M01

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	16	195/55R16	M01	91	V
2		205/45R16	M01	87	W/XL
3		215/55R16	M01	97	W
4	17	215/50R17	M01	95	W/XL
5		235/45R17	M01	97	W
6	18	235/40R18	M01	95	W/XL

Safy M06

NO	INCH	SIZE	Pattern	LOAD INDEX	SPEED SYMBOL
1	16	215/55ZR16	M06	97	W
2		225/55ZR16	M06	99	W
3	17	205/45ZR17	M06	88	W
4		205/50ZR17	M06	93	W
5		205/55ZR17	M06	91	W
6		215/45ZR17	M06	91	W
7		235/45R17	M06	97	W
8		245/45ZR17	M06	99	W/XL
9	18	215/50R18	M06	92	V
10		225/50ZR18	M06	99	W
11		225/55ZR18	M06	102	W
12		225/60R18	M06	104	V
13		235/45ZR18	M06	98	W/XL
14		275/45ZR18	M06	107	W
15	19	225/55ZR19	M06	103	W
16		235/45ZR19	M06	99	W
17		235/50ZR19	M06	103	W
18		255/45ZR19	M06	104	W
19	20	235/45ZR20	M06	100	W
20		235/55ZR20	M06	105	W
21		245/50ZR20	M06	102	W
22		255/50ZR20	M06	109	W
23		255/55ZR20	M06	110	W
24		265/40ZR20	M06	104	W
25		265/45ZR20	M06	108	W
26		265/50R20	M06	107	V
27		275/50ZR20	M06	113	W
28		285/50R20	M06	116	V
29		295/35ZR20	M06	105	W
30		295/40ZR20	M06	110	W
31	21	255/45ZR21	M06	105	W
32		265/40ZR21	M06	105	W
33	18	245/60R18	M06	105	V
34	19	245/55ZR19	M06	103	W

KUSTONE

Freely F11

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	16	215/70R16	F11	100	H
2		225/70R16	F11	103	H
3		235/70R16	F11	106	H
4		245/70R16	F11	107	H
5	17	215/60R17	F11	96	H
6		225/60R17	F11	99	H
7		225/65R17	F11	102	H
8		235/65R17	F11	104	H
9		265/65R17	F11	112	H
10	18	235/65R18	F11	110	H
11		265/60R18	F11	110	H

Radial P07&P07-N

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	14	165/60R14	P07	75	H
2		165/65R14	P07	79	H
3		185/70R14	P07	88	H
4	15	175/65R15	P07	84	H
5		185/55R15	P07	82	V
6		195/50R15	P07	82	H
7		205/60R15	P07	91	V
8		205/70R15	P07	96	H
9	16	205/50R16	P07	87	V
10		205/65R16	P07	95	H
11		215/60R16	P07	95	H
12		215/65R16	P07	98	H
13		225/60R16	P07	98	H
1	14	185/60R14	P07-N	82	H
3	15	205/65R15	P07-N	94	H
2	16	195/60R16	P07-N	89	H

Tugh A99

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	15	215/75R15	A99	100	T

Come L09

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	13	155R13C	L09	90/88	N
2		165R13C	L09	91/89	N
3	14	165R14C	L09	97/95	Q
4		185R14LT	L09	102/100	R
5	15	195/70R15C	L09	104/102	R
6		215/70R15C	L09	109/107	R
7	16	215/75R16C	L09	113/111	R

KUSTONE

Giantire AT86

NO	INCH	SIZE	PATTERN	LOAD INDEX	SPEED SYMBOL
1	16	245/75R16	AT86	111	T
2	17	225/65R17	AT86	102	T
3	15	215/75R15	AT86	110	T
4		235/75R15	AT86	105	T
5	16	235/70R16	AT86	106	H
6		245/70R16	AT86	107	H
7		245/75R16	AT86	111	T
8	17	265/65R17	AT86	112	H
9	18	265/60R18	AT86	100	H